WAREHOUSE FILE SPECIFICATIONS

Version 1.5.0

Warehouse wh student cohort

Generated 11/25/2026

Table of Contents

Table of Contents ..... p. 2
General Information ..... p. 4
Data Decision Tree ..... p. 6
Warehouse wh student cohort ..... p. 7
- Nswers Id ..... p. 7
- Year ..... p. 7
- Psdegreeseekingawardexiter ..... p. 7
- Psdegreeseekingexiter ..... p. 7
- Psdegreeseekingnoawardexiter ..... p. 8
- Hsgraduation4years ..... p. 8
- Hsgraduation5years ..... p. 8
- Hsgraduation6years ..... p. 8
- Expectedhsgraduationyear ..... p. 9
- Psdegreeseekingfirstfull ..... p. 9
- Psdegreeseekingfirstpart ..... p. 9
- Psdegreeseekingfirsttime ..... p. 10
- Psdegreeseekingnotfirst ..... p. 10
- Psdegreeseekingnotfirstfull ..... p. 10
- Psdegreeseekingnotfirstpart ..... p. 10
- Ps2fallfirstfulldegreeseeking ..... p. 11
- Ps4fallfirstfulldegreeseeking ..... p. 11
- Psfallfirstfulldegreeseeking ..... p. 11
- Wfjobholder ..... p. 12
- Wfjobholderps2award ..... p. 12
- Wfjobholderps2noaward ..... p. 12
- Wfjobholderps4award ..... p. 12
- Wfjobholderps4noaward ..... p. 13
- Ps4bachelordegreeseekingexiter|15-1256 ..... p. 13
- Ps4bachelordegreeseekingexiter|25-2031 ..... p. 13
- Ps4bachelordegreeseekingexiter|25-2021 ..... p. 14
- Ps4bachelordegreeseekingexiter|17-2051 ..... p. 14
- Ps4bachelordegreeseekingexiter|13-2011 ..... p. 14
- Ps4bachelordegreeseekingexiter|29-1141 ..... p. 14
- Ps4bachelordegreeseekingexiter|13-1161 ..... p. 15
- Ps4bachelordegreeseekingexiter|25-2022 ..... p. 15
- Ps4bachelordegreeseekingexiter|17-2141 ..... p. 15
- Ps4bachelordegreeseekingexiter|17-2071 ..... p. 16
- Ps2degreeseekingexiter|29-2034 ..... p. 16
- Ps2degreeseekingexiter|29-2061 ..... p. 16
- Ps2degreeseekingexiter|31-9091 ..... p. 16

Ps2degreeseekingexiter|49-3023 ..... p. 17
Ps2degreeseekingexiter|49-9021 ..... p. 17
Allmystudents ..... p. 17

General Information

This document describes the data elements collected by the Nebraska Statewide Workforce & Educational Reporting System (NSWERS). Valid values and data validation rules that can be performed prior to data submission are listed where appropriate.

High-Level Data Collection Workflow

Scope

All students enrolled in courses (for credit AND/OR noncredit) at the institution for given academic year.

File Names

File Specification	*File Name*
Warehouse wh student cohort	#####_warehouse_whstudentcohort_YYYY_##.csv

Where	Represents
#####	IPEDS Institution ID
YYYY	Academic Year Ending
##	Optional sequence Number

Data Element Names

The following syntax is used throughout this document when referencing data elements.

Format: *NSWERS Field Name [File Specification: Field Name (Field Number)] where:

- An asterisk (*) indicates the data element is a mandatory field. A non-blank or non-null value must be supplied in all mandatory fields for each record, or the data loading process will reject the record.
- NSWERS Field Name represents the name of the data element commonly used by the Nebraska Statewide Workforce & Educational Reporting System (NSWERS).
- File Specification indicates the formal name of the file specification.
- Field Name indicates the formal name of the field within the file specification.
- Field Number indicates the position of the field within the file specification.

Academic Year Ending

The academic year is understood as July 1 – June 30. Postsecondary data will

be organized by academic year using Academic Year Ending. For example, the Academic Year Ending field for 2020 – 2021 will simply read: “2021”.


Notes of Importance

- Any values that contain a comma must be enclosed with quotes.
- Data fields should be ordered in the same sequence as identified in this document.

All files should be submitted in .csv format.

To maintain data privacy and security, and to preserve the informational chain of custody, NSWERS staff cannot edit original source data files. It is the responsibility of each data contributing partner to resolve errors discovered during data submission, validation, and certification processes. Corrected data files should be re-uploaded by partners into the NSWERS data system.

Decision Tree: Reporting for Nonmandatory Data Elements



†The field is represented by a code in the data specifications (e.g. gender, GED Status, etc)

*The field is blank or represented by a blank placeholder in your data system

Warehouse wh student cohort

Additional details can be found on our website at
https://nswers.orgs/insights/data-dictionary-and-elements/

Nswers Id [Warehouse wh student cohort:nswers_id (1)]

Unique cross-system NSWERS student identifier. Carried from source records or membership assignments and used as the student-level join key.

A unique identifier across the NSWERS System.

Year [Warehouse wh student cohort:year (2)]

School-year-ending or postsecondary academic-year-ending shared by the row's cohort membership flags.

Provide the literal academic year ending in the format “YYYY”. The academic year is understood as July 1 - June 30. For example, the value of the Academic Year Ending field for July 1, 2020 – June 30, 2021, would simply read: “2021”.

Format

yyyy

Psdegreeseekingawardexiter [Warehouse wh student cohort:psdegreeseekingawardexiter (3)]

Membership flag for psdegreeseekingawardexiter. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Degree-seeking students in their latest observed postsecondary academic year who have a qualifying award in that exit year.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Psdegreeseekingexiter [Warehouse wh student cohort:psdegreeseekingexiter (4)]

Membership flag for psdegreeseekingexiter. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Degree-seeking students in their latest observed postsecondary academic year.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for

membership; NULL means not a member.

Psdegreeseekingnoawardexiter [Warehouse wh student cohort:psdegreeseekingnoawardexiter (5)]

Membership flag for psdegreeseekingnoawardexiter. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Degree-seeking students in their latest observed postsecondary academic year without a qualifying award in that exit year.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Hsgraduation4years [Warehouse wh student cohort:hsgraduation4years (6)]

Membership flag for hsgraduation4years. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Expected-graduation-year cohort members with diploma code 210 by the expected year, after transfer and departure exclusions.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Hsgraduation5years [Warehouse wh student cohort:hsgraduation5years (7)]

Membership flag for hsgraduation5years. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Expected-graduation-year cohort members with diploma code 210 by one year after the expected year, after exclusions.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Hsgraduation6years [Warehouse wh student

cohort:hsgraduation6years (8)]

Membership flag for hsgraduation6years. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Expected-graduation-year cohort members with diploma code 210 by two years after the expected year, after exclusions.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Expectedhsgraduationyear [Warehouse wh student cohort:expectedhsgraduationyear (9)]

Membership flag for expectedhsgraduationyear. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Students whose latest expected_graduation_year equals the cohort year, excluding specified transfer and departure codes.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Psdegreeseekingfirstfull [Warehouse wh student cohort:psdegreeseekingfirstfull (10)]

Membership flag for psdegreeseekingfirstfull. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Degree-seeking, first-time, full-time postsecondary students in the cohort year.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Psdegreeseekingfirstpart [Warehouse wh student cohort:psdegreeseekingfirstpart (11)]

Membership flag for psdegreeseekingfirstpart. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Degree-seeking, first-time, part-time postsecondary students in the cohort year.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Psdegreeseekingfirsttime [Warehouse wh student cohort:psdegreeseekingfirsttime (12)]

Membership flag for psdegreeseekingfirsttime. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Degree-seeking, first-time postsecondary students in the cohort year, regardless of attendance intensity.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Psdegreeseekingnotfirst [Warehouse wh student cohort:psdegreeseekingnotfirst (13)]

Membership flag for psdegreeseekingnotfirst. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Degree-seeking students who are not first-time students in the cohort year.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Psdegreeseekingnotfirstfull [Warehouse wh student cohort:psdegreeseekingnotfirstfull (14)]

Membership flag for psdegreeseekingnotfirstfull. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Degree-seeking, full-time students who are not first-time students in the cohort year.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Psdegreeseekingnotfirstpart [Warehouse wh student

cohort:psdegreeseekingnotfirstpart (15)]

Membership flag for psdegreeseekingnotfirstpart. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Degree-seeking, part-time students who are not first-time students in the cohort year.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Ps2fallfirstfulldegreeseeking [Warehouse wh student cohort:ps2fallfirstfulldegreeseeking (16)]

Membership flag for ps2fallfirstfulldegreeseeking. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Fall first-time, full-time, degree-seeking undergraduates whose selected institution is in the two-year sector.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Ps4fallfirstfulldegreeseeking [Warehouse wh student cohort:ps4fallfirstfulldegreeseeking (17)]

Membership flag for ps4fallfirstfulldegreeseeking. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Fall first-time, full-time, degree-seeking undergraduates whose selected institution is in the four-year sector.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Psfallfirstfulldegreeseeking [Warehouse wh student cohort:psfallfirstfulldegreeseeking (18)]

Membership flag for psfallfirstfulldegreeseeking. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Fall first-time, full-time, degree-seeking undergraduates in either postsecondary sector.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Wfjobholder [Warehouse wh student cohort:wfjobholder (19)]

Membership flag for wfjobholder. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Postsecondary exiters with a UI-wage record in the loader's window from one quarter before through ten quarters after the final term.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Wfjobholderps2award [Warehouse wh student cohort:wfjobholderps2award (20)]

Membership flag for wfjobholderps2award. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Workforce jobholders whose selected exit institution is two-year and who have an award.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Wfjobholderps2noaward [Warehouse wh student cohort:wfjobholderps2noaward (21)]

Membership flag for wfjobholderps2noaward. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Workforce jobholders whose selected exit institution is two-year and who do not have an award.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Wfjobholderps4award [Warehouse wh student cohort:wfjobholderps4award (22)]

Membership flag for wfjobholderps4award. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Workforce jobholders whose selected exit institution is four-year and who have an award.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Wfjobholderps4noaward [Warehouse wh student cohort:wfjobholderps4noaward (23)]

Membership flag for wfjobholderps4noaward. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Workforce jobholders whose selected exit institution is four-year and who do not have an award.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Ps4bachelordegreeseekingexiter|15-1256 [Warehouse wh student cohort:ps4bachelordegreeseekingexiter|15-1256 (24)]

Membership flag for ps4bachelordegreeseekingexiter|15-1256. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Four-year bachelor's degree-seeking exiter linked through the CIP-SOC crosswalk to SOC 15-1256.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Ps4bachelordegreeseekingexiter|25-2031 [Warehouse wh student cohort:ps4bachelordegreeseekingexiter|25-2031 (25)]

Membership flag for ps4bachelordegreeseekingexiter|25-2031. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Four-year bachelor's degree-seeking exiter linked through the CIP-SOC crosswalk to SOC 25-2031.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Ps4bachelordegreeseekingexiter|25-2021 [Warehouse wh student cohort:ps4bachelordegreeseekingexiter|25-2021 (26)]

Membership flag for ps4bachelordegreeseekingexiter|25-2021. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Four-year bachelor's degree-seeking exiter linked through the CIP-SOC crosswalk to SOC 25-2021.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Ps4bachelordegreeseekingexiter|17-2051 [Warehouse wh student cohort:ps4bachelordegreeseekingexiter|17-2051 (27)]

Membership flag for ps4bachelordegreeseekingexiter|17-2051. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Four-year bachelor's degree-seeking exiter linked through the CIP-SOC crosswalk to SOC 17-2051.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Ps4bachelordegreeseekingexiter|13-2011 [Warehouse wh student cohort:ps4bachelordegreeseekingexiter|13-2011 (28)]

Membership flag for ps4bachelordegreeseekingexiter|13-2011. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Four-year bachelor's degree-seeking exiter linked through the CIP-SOC crosswalk to SOC 13-2011.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Ps4bachelordegreeseekingexiter|29-1141 [Warehouse wh student

cohort:ps4bachelordegreeseekingexiter|29-1141 (29)]

Membership flag for ps4bachelordegreeseekingexiter|29-1141. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Four-year bachelor's degree-seeking exiter linked through the CIP-SOC crosswalk to SOC 29-1141.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Ps4bachelordegreeseekingexiter|13-1161 [Warehouse wh student cohort:ps4bachelordegreeseekingexiter|13-1161 (30)]

Membership flag for ps4bachelordegreeseekingexiter|13-1161. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Four-year bachelor's degree-seeking exiter linked through the CIP-SOC crosswalk to SOC 13-1161.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Ps4bachelordegreeseekingexiter|25-2022 [Warehouse wh student cohort:ps4bachelordegreeseekingexiter|25-2022 (31)]

Membership flag for ps4bachelordegreeseekingexiter|25-2022. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Four-year bachelor's degree-seeking exiter linked through the CIP-SOC crosswalk to SOC 25-2022.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Ps4bachelordegreeseekingexiter|17-2141 [Warehouse wh student cohort:ps4bachelordegreeseekingexiter|17-2141 (32)]

Membership flag for ps4bachelordegreeseekingexiter|17-2141. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Four-year bachelor's degree-seeking exiter linked through the CIP-SOC crosswalk to SOC 17-2141.

Code	Description	Explanation of Use
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Ps4bachelordegreeseekingexiter|17-2071 [Warehouse wh student cohort:ps4bachelordegreeseekingexiter|17-2071 (33)]

Membership flag for ps4bachelordegreeseekingexiter|17-2071. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Four-year bachelor's degree-seeking exiter linked through the CIP-SOC crosswalk to SOC 17-2071.

Code	Description	Explanation of Use
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Ps2degreeseekingexiter|29-2034 [Warehouse wh student cohort:ps2degreeseekingexiter|29-2034 (34)]

Membership flag for ps2degreeseekingexiter|29-2034. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Two-year degree-seeking exiter linked through the CIP-SOC crosswalk to SOC 29-2034.

Code	Description	Explanation of Use
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Ps2degreeseekingexiter|29-2061 [Warehouse wh student cohort:ps2degreeseekingexiter|29-2061 (35)]

Membership flag for ps2degreeseekingexiter|29-2061. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Two-year degree-seeking exiter linked through the CIP-SOC crosswalk to SOC 29-2061.

Code	Description	Explanation of Use
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Ps2degreeseekingexiter|31-9091 [Warehouse wh student

cohort:ps2degreeseekingexiter|31-9091 (36)]

Membership flag for ps2degreeseekingexiter|31-9091. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Two-year degree-seeking exiter linked through the CIP-SOC crosswalk to SOC 31-9091.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Ps2degreeseekingexiter|49-3023 [Warehouse wh student cohort:ps2degreeseekingexiter|49-3023 (37)]

Membership flag for ps2degreeseekingexiter|49-3023. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Two-year degree-seeking exiter linked through the CIP-SOC crosswalk to SOC 49-3023.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Ps2degreeseekingexiter|49-9021 [Warehouse wh student cohort:ps2degreeseekingexiter|49-9021 (38)]

Membership flag for ps2degreeseekingexiter|49-9021. The cohort loader MERGEs the student/year row and writes 1 for members; NULL means the student is not in that cohort for the year. Two-year degree-seeking exiter linked through the CIP-SOC crosswalk to SOC 49-9021.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Allmystudents [Warehouse wh student cohort:allmystudents (39)]

Compatibility membership flag present in the schema. No active loader assignment was located in this ZIP; the cleanup routine only references it by name.

Code	*Description*	*Explanation of Use*
1	Member	The loader writes the character value '1' for membership; NULL means not a member.

Warehouse wh student cohort

Key	*Position*	*Name*	*Type*	*Length*	*Format*
	1	Nswers Id	String	36	
	2	Year	Date	4	yyyy
	3	Psdegreeseekingawardexiter	String	1	(one of set)
	4	Psdegreeseekingexiter	String	1	(one of set)
	5	Psdegreeseekingnoawardexiter	String	1	(one of set)
	6	Hsgraduation4years	String	1	(one of set)
	7	Hsgraduation5years	String	1	(one of set)
	8	Hsgraduation6years	String	1	(one of set)
	9	Expectedhsgraduationyear	String	1	(one of set)
	10	Psdegreeseekingfirstfull	String	1	(one of set)
	11	Psdegreeseekingfirstpart	String	1	(one of set)
	12	Psdegreeseekingfirsttime	String	1	(one of set)
	13	Psdegreeseekingnotfirst	String	1	(one of set)
	14	Psdegreeseekingnotfirstfull	String	1	(one of set)
	15	Psdegreeseekingnotfirstpart	String	1	(one of set)
	16	Ps2fallfirstfulldegreeseeking	String	1	(one of set)
	17	Ps4fallfirstfulldegreeseeking	String	1	(one of set)
	18	Psfallfirstfulldegreeseeking	String	1	(one of set)
	19	Wfjobholder	String	1	(one of set)
	20	Wfjobholderps2award	String	1	(one of set)
	21	Wfjobholderps2noaward	String	1	(one of set)
	22	Wfjobholderps4award	String	1	(one of set)
	23	Wfjobholderps4noaward	String	1	(one of set)
	24	Ps4bachelordegreeseekingexiter|15-1256	String	1	(one of set)
	25	Ps4bachelordegreeseekingexiter|25-2031	String	1	(one of set)

Key	*Position*	*Name*	*Type*	*Length*	*Format*
	26	Ps4bachelordegreeseekingexiter|25-2021	String	1	(one of set)
	27	Ps4bachelordegreeseekingexiter|17-2051	String	1	(one of set)
	28	Ps4bachelordegreeseekingexiter|13-2011	String	1	(one of set)
	29	Ps4bachelordegreeseekingexiter|29-1141	String	1	(one of set)
	30	Ps4bachelordegreeseekingexiter|13-1161	String	1	(one of set)
	31	Ps4bachelordegreeseekingexiter|25-2022	String	1	(one of set)
	32	Ps4bachelordegreeseekingexiter|17-2141	String	1	(one of set)
	33	Ps4bachelordegreeseekingexiter|17-2071	String	1	(one of set)
	34	Ps2degreeseekingexiter|29-2034	String	1	(one of set)
	35	Ps2degreeseekingexiter|29-2061	String	1	(one of set)
	36	Ps2degreeseekingexiter|31-9091	String	1	(one of set)
	37	Ps2degreeseekingexiter|49-3023	String	1	(one of set)
	38	Ps2degreeseekingexiter|49-9021	String	1	(one of set)
	39	Allmystudents	String	1	(one of set)